

: TOA LOFT

SAFETY DATA SHEET (SDS)

Revised	No.	:
Date	10	/2017

10/2017 Replaces

1. PRODUCT AND CO	1. PRODUCT AND COMPANY IDENTIFICATION		
Product Name	:	TOA LOFT	
Product Use	:	Water-borne venetian plaster	
Company Name	:	TOA PAINT (THAILAND) PUBLIC COMPANY LIMITED	
Address	:	31/2 Moo 3, Bangna-Trad Road, Bang Sao Thong Subdistrict,	
		Bang Sao Thong Distric, Samut Prakarn Province 10570, Thailand	
Telephone No.	:	+662 335 5555	
Fax No.	:	+662 312 8927	
Emergency Call	:	+662 335 5999	

2. HAZARDS IDENTIFICATION

[GHS Classification]			Hazard Category
Physical Hazards	:	Combustible liquid	Not Classified
Health Hazards	:	Acute toxicity (Oral / LD50)	Not Classified
	:	Acute toxicity (Dermal / LD50)	Not Classified
	:	Acute toxicity (Inhalation : vapours)	Not Classified
	:	Skin corrosion / Irritation	Not Classified
	:	Serious eyes damage / Eyes irritation	Category 1
	:	Respiratory and skin sensitation	Not Classified
	:	Germ cell mutagenicity	Not Classified
	:	Carcinogenicity	Not Classified
	:	Reproductive toxicity	Not Data
	:	Specific target organ systemic toxicity-Single exposure	Not Data
	:	Specific target organ systemic toxicity-Repeated exposure	Not Data
	:	Aspiration Hazard	Not Data
Environmental X	:	Acute aquatic toxicity	Not Classified
Hazards	:	Chronic aquatic toxicity	Not Classified
	:	Hazard to the ozone layer	Not Data
Pictograms	:		

Signal word

: DANGER

Hazard statements

1. Cause serious eye damage.



Product Name	:	TOA LOFT	Revised	No.	:	
			Date	10/2	2017	Replaces

Precautionary Statements:

- 1. Read label before use. DO NOT handle until all safety precautions have been read and understood.
- 2. Wear protective gloves / protective clothing / eye protection / face protection. Wear respiratory protection.
- 3. Use product only on objects. DO NOT use with human and animal.
- 4. DO NOT eat this product. Keep this product away from food, drink and animal feeding stuffs. IF SWALLOWED, DO NOT induce vomiting and seek medical advice immediately.
- 5. DO NOT eat, drink or smoke when using this product.
- 6. DO NOT breathing vapors or spray mist. IF INHALATION: Remove to adequate ventilation place and support breathing as needed. In case of faint, must recuperate the patient and seek medical advice immediately.
- 7. Avoid direct contact. Wash the exposed thoroughly after handling. IF ON SKIN: Wash with plenty of soap and water.
- 8. IF IN EYES: Flush with plenty of water for at least 15-20 minutes and seek medical advice immediately.
- 9. If you feel unwell: Call a POISON CENTER or doctor/physician.
- 10. Use and store this product in dry and a well-ventilated place.
- 11. Keep this product in provided container only.
- 12. Keep container tightly closed. Keep out of reach of children.
- 13. Move product with careful, always carry with the top cover stand upright.
- 14. In case of leakage, use nonflammable absorbent such as dried sand or soil and clean surface with powdered detergent. DO NOT use thinner or solvent.
- 15. Avoid release paint or used container to water drain or natural water resource.
- 16. Used container dispose as chemical contaminate waste according to local regulation or standard regulation.

3. COMPOSITION / INFORMATION ON INGREDIENTS

NO.	Component / Chemical Name	CAS Number	EC Number	%
1	Vinyl Acetate Ethylene Polymer	-	-	5 - 8
2	Calcium Carbonate	471-34-1	-	40 - 45
3	Calcium Hydroxide	1305-62-0	215-137-3	9 - 12
4	Propylene Glycol	57-55-6	-	2.5 - 3.0
5	Water	7732-18-5	231-791-2	30 - 35

4. FIRST AID MEASURES		
General	:	In all cases of doubt or when symptoms persist, get medical attention immediately.
		DO NOT give anything by mouth to an unconscious person.
Inhalation	:	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular
		or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
		Give nothing by mouth. If unconscious place in recovery position and seek medical advice.



Product Name	: TOA LOF	T Revised No. :
		Date 10/2017 Replaces
Skin contact	:	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Eye Contact	:	Check for and remove any contact lenses. Immediately flush eyes with running water at least 15 minutes, keeping eyelids open.
Ingestion	:	If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do not induce vomiting.

5. FIRE - FIGHTING MEASU	RES	
Extinguishing media	:	Recommended: alcohol resistant foam, CO2, powders, water spray.
Recommendations	:	Fire will produce dense black smoke. Exposure to decomposition products may cause a health
		hazard. Appropriate breathing apparatus may be required. Cool closed containers exposed to
		fire with water. Do not release runoff from fire control methods to sewers or waterways.

6. ACCIDENTAL RELEASE	MEASURES	
Personal protection	:	Exclude sources of ignition and ventilate the area. Avoid breathing vapour or mist.
		Refer to protective measures listed in sections 7 and 8.
Spill	:	Contain and collect spillage with non-combustible absorbent materials e.g. diatomaceous earth,
		sand, vermiculite and place in container for disposal according to local regulations(see section13)
		Do not allow to enter drains or watercourses. Clean preferably with a detergent;
		avoid use of solvents. If the product contaminates lakes, rivers or sewage, inform appropriate
		authorities in accordance with local regulations.

7. HANDLING AND STORAGE	
Handling	: Keep container tightly closed. Keep away from heat, sparks and flame.
	No sparking tools should be used. Avoid contact with skin and eyes. Avoid the inhalation
	of dust, particulates and spray mist arising from the application of this preparation.
	Avoid inhalation of dust from sanding. Eating, drinking and smoking should be prohibited
	in area where this material is handled, stored and processed.
	Workers should wash hands and face before eating, drinking and smoking.
	Put on appropriate personal protective equipment (see Section 8).
	Never use pressure to empty the container because the container can not resist the pressure.
	Always keep this products in containers that made with same material as the original one.
	Comply with the health and safety at work laws.



Product Name	: TOA LOFT	Revised No. :
		Date 10/2017 Replaces
	In such circumstances they sh	ould wear a compressed air-fed respirator during the spraying
	process and until such time as	the particulates and solvent vapor concentration has fallen
	below the exposure limits.	
Storage	: Store in accordance with local	regulations. Observe label precautions.
	Store in a cool, well-ventilated	area where away from incompatible materials, ignition sources.
	Keep away from oxidizing age	nts, strong alkali, strong acids.
	Ideal storage temperature range	ge is 25 – 30 °C. DO NOT freeze this products.
	No smoking and prevent unau	thorized access.
	Containers which are opened r	nust be carefully resealed and kept upright to prevent leakage.
	DO NOT allow to enter drains	or watercourses.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION		
Engineering Controls	:	Provide adequate ventilation. Where reasonably practicable this should be achieved by
		the use of local exhaust ventilation and good general extraction.
Personal protective equipment	nt	
Respiratory system	:	Use respiratory mask with charcoal and dust filter when spraying this product (as filter
		combination A2-P2). In confined spaces use compressed air or fresh air respiratory equipment.
		When use of roller or brush, consider use of charcoal filter (A2).
Skin and body	:	Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls
		should be used to prevent contact with skin and body
Hands	:	Wear appropriate protective gloves. Consult glove manufacturer's data for permeability data.
Eyes	:	Use safety eyewear designed to protect against splash of liquids.

9. PHYSICAL & CHEMICAL	PROPERTIES	6
Appearance	:	Paste
Odor	:	Characteristic
Color	:	Refer to catalog
Melting Point	:	No data avaliable
Boiling Point	:	No data avaliable
Specific Gravity	:	1.3 - 1.4
Vapour Pressure	:	No data avaliable
pH Value at 25oC	:	12 - 14
Water Solubility	:	Partial



Product Name : TOA	LOF	Т	F	Revised	l No. :	
			[Date	10/2017	Replaces
10. STABILITY AND REACTIVITY						
Stability	:	Stable under recomm	ended storage a	nd hand	lling conditions (see section 7).
Hazardous Decomposition Products	:	Carbon monoxide, car	bon dioxide, sm	oke, and	d other toxic gas	es
Incompatible materials?	:	Oxidising agents, stro	ng alkalis, strong	acids.		
11. TOXICOLOGICAL INFORMATIC	N					
Classification according the GHS						
Acute Toxic						
Oral :Rat (LD50) (mg/kg) or ATE	:	ATE = 9455.15	mg/kg			
Dermal : Rabbit (LD50) (mg/kg) or AT	I:	ATE = 84498.66	mg/kg			
Inhalation : Rat (LC50) (mg/L) or ATE	:	ATE = 543.85	mg/L			
Skin corrosion/irritation						
Not Classified						
Serious eye damage/eye irritation						
Cause serious eye damage.						
Respiratory or skin sensitisation						
Not Classified						
Germ cell mutagenicity						
Not Classified						
<u>Carcinogenicity</u>						
Not Classified						
Reproductive toxicity						
No Data						
<u>Specific target organ toxicity - single e</u> No Data	xpos	ure				
Specific target organ toxicity - repeate	d ev	nosure				
No Data		<u>2000. c</u>				
Aspiration hazard						

12. ECOLOGICAL INFORMATION				
Hazardous to Acute the aquatic environment	:	Not Classified		
Hazardous to Chronicthe aquatic environment		Not Classified		
Hazardous to the ozone layer	:	No data		



: TOA LOFT	TOA LOFT	Revised No. :				
		Date	10/2	2017	Replaces	

13. DISPOSAL CONSIDERATIONS

Method of disposal

www.toagroup.com

Product Name

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of split material and runoff and contact with soil, waterways, drains and sewers.

Material and/or container must be disposed of as hazardous waste European waste catalogue (EWC)

08 01 11 Waste paint and varnish containing organic solvents or other dangerous substances

08 01 17 Wastes from paint or varnish removal containing organic solvents or other dangerous substances

14. TRANSPORT INFORMATION

Transport in accordance with ADR/RID, IMDG/IMO and ICAO/IATA and national regulation.

This substance is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road(ADR) and by Rail(RID), of International Maritime Dangerous Goods Code(IMDG), and of the International Air Transport Association(IATA) regulations.

15. REGULATORY INFORMATION				
Thai regulation	:	HAZARDOUS SUBSTANCE ACT, B.E. 2535 (1992)		
	:	Notification of Ministry of Industry Subject : Hazard Classification and 2555 (2012)		
		Communication System of Hazardous Substances B.E.		

16. OTHER INFORMATION

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.